




DOUBLE-A FOR TRADING CO.

Power Distribution Unit DESKTOP OUTLET Wireless Charger

WW.DOUBLE-A.NET



DOUBLE-A FOR TARDING CO.

The Double A Company is a leading company in the management of electrical wires
Offices, electrical cabinets, control rooms, inspection rooms and floor box
And to find integrated solutions for the management of wires to appear beautifully and attractively in the rooms of businessmen and reception areas and are fully prepared to maintain and repair all electrical boxes and find the appropriate solutions for each site..
Providing integrated solutions and stylish designs for luxury offices.

We supply our products to government departments, hotels, hospitals and malls
We are committed to providing high quality products and ready to conduct maintenance
contracts for the management of wires in all buildings and malls to show the beauty and
elegance that fit the sit

Our work has earned everyone's trust and made us win the trust and satisfaction of our customers .





Smart Motorized Table Socket



Smart Motorized Table Socket



DRAWING ROOM



Fixed at tea table, Sofa. Hidden design

KITCHEN ISLAND



- * IP 65 Waterproof.
- * Steel glass panel.
- * Wireless charger.
- * Buletooth surround audio.

TEA TABLE



IP65 Waterproof to avoid water splash. Easy four side powering

DESK



- * IP 65 Waterproof.
- * Steel glass panel.
- * Wireless charger.
- * Buletooth surround audio .



PRODUCT PARAMETERS

Name .:

Insert Smart Motorized

Table Socket

Rated Output .:

10A/2500W

USB Output .:

DC-5V/3A

Ambient Temp .:

-20C + 50 C

IP Degree .:

IP 65

Current Output .:

110V - 250 VAC

Wireless charger .:

Q1 / 18W

Fire resistant .:

UL/V0

PRODUCT DESCRIPTION





Short Description

Name: Waterproof Wifi Smart Motorized Socket

- 1. Figures: * IP65 Waterproof
 - * Wireless charger
 - * 18W fast charge
 - * USB 3A output
 - * Bluetooth Speaker
 - * Device sharing.
- * Wifi connection
- * Wireless charger
- * One App control
- * Night lighting
- * Voice control
- * Control your device anywhere
- 2. Have CE certificates and Intertek IP65 testing report.
- 3. EMC rated directive: 2014/30/EU

Confirmed to standards: EN55032: 2015+A1:2020+A11:2020

EN IEC 61000-3-2: 2019 EN61000-3-3:2013+A1: 2019 EN55035:2017+A11:2020

4. The Low Voltage Directive: 2014/30/EU

Confirmed to standard: EN IEC62368-1:2020+A11:2020

5. Intertek testing report for IP65 base on standard: BSEN60529:1992+A2:2013

Art#	Accessories Fixed	Control Model	Note
SN-3GD/U	3pcs Power Sockets+2USB	WiFi+Touch	
SN-3GD/U	3pcs Power Sockets+2USB	WiFi+Touch+Voice	
SNV-3GD/U	3pcs Power Sockets+ Bluetooth speakers	WiFi+Touch	
SNYL-3GD/U	3pcs Power Sockets+ Bluetooth speakers	WiFi+Touch+Voice	 Standard Control: Wifi+Touch Control Wireless Charger.
SN-6GD/U	6pcs Power Sockets+4USB	WiFi+Touch	3. Led nightlight.
SNY-6GD/U	6pcs Power Sockets+4USB	WiFi+Touch+Voice	4. IP55 Waterproof.
SNV-6GD/U	6pcs Power Sockets+ 4USB+Bluetooth speakers	WiFi+Touch	
SNYL-6GD/U	6pcs Power Sockets+ 4USB+Bluetooth speakers	WiFi+Touch+Voice	

STP SERIES VERTICAL POP UP SOCKET



STP-1 series vertical Pop-up outlets are an ideal, conveient and versatile solution for bringing power and data connectivity to Kitchen countertop, office spaces or your home shen needed, without compromising the appearance, The IP54 rated Cover Top when in closed position, provides protective coverage against water splashes and dust particles to ensure longer product lifespan.

Equipped with an overload protection switch for safe operation and accepts wide range of power and data modules for custom flexibility.

When the outlet is not needed, smooth flat top sits nearly flush with the surface.

Optional wireless-charging top allows you to power Qi-enabled devices by simply placing it directly on the pad .



VERTICAL POP UP SOCKET

Features

Suitable for Installation within :

Office

Tea Room

Bedroom

Meeting Rooms

Kitchen

Laundry



- Overload protection (Not include GFCI model)
- Can be supplied with combinations of power, data modules .
- Available in a variety of configurations.

With various top covers for option:



Wireless-Charging with various top covers for option:





IP54 weatherproof protection : Splash proof IP54 protection



Wireless-Charging:
Wireless-charging top allows you
to power Ql-enabled devices be
slmply placing it directly on the
pad.



It is very simple to install as it fits easily with an 95mm diameter hole allowing easy retrofits to any

desk with an 95mm grommet hole

Easy Installation:

10

VERTICAL POP UP SOCKET

STP-1 Series







STP-1/F2×2A+K	STP-1/F3×2A+K

STP-1/F4×2A+K

Model	Wireless Charging	Module Capacity	Module Type	Cutout	(mm)
STP-1/F2×2A+	K ×	4	British Stand	ard	95
STP-1/F2×2A+F	(+QI	4	British Standa	ard	95
STP-1/F3×2A+k	< x	6	British Stand	ard	95
STP-1/F3×2A+k	(+QI	6	British Stand	ard	95
STP-1/F4×2A+F	< x	8	British Stand	ard	95
STP-1/F4×2A+K		8 L-Aluminum	British Stand		95









STP-1/F2×1/	A+K STP-	-1/F3×1A-	+K STP-1,	/F4×1A+K
Model	Wireless Charging	Module Capacity	Module Type	Cutout(mm)
STP-1/F2×1A+K	×	4	Multi-function	on 95
STP-1/F2×1A+K+	+QI	4	Multi-function	on 95
STP-1/F3×1A+K	×	6	Multi-function	on 95
STP-1/F3×1A+K+	-QI	6	Multi-function	on 95
STP-1/F4×1A+K	×	8	Multi-function	
STP-1/F4×1A+K-	-	8	Multi-function	


S-Stainless, B-Brass, L-Aluminum, RB- Black Resin

Features




IP54 protection in closed status Equipped with overload protection switch Approval: CE,TUV


- * STP-1/FA+K+QI: Standard configuration equipped with Wireless Charging Pad on the top cover.
- * Wireless charging funstion available in two variants: 5W and 15W
- * Please note: In order to have the wireless charging function with 5W output, the unit needs to be included with a USB charger module.



STP-1/4 modules unit



STP-1/6 modules unit





SMT SERIES MOTORIZED POP UP UNIT

Today's modem workspaces demand advanced functionality and aesthetic appearance. Our SMT series motorized pop-up unit enable uou to achieve these contemporary feaures, embodying a unique blend of practical functions and modern-inspired design .

Not only will your workspace become more productive and better connected with this incredible addition, but it will also feel ingenious and stylish thanks to the elegant weathered finish and sturdy character.



Suitable for Installation within:



نین

KItchen

Meeting Rooms





Office

Study Room





Living Room

Bedroom



The flashing LED light enhances the socket top center when the unit is in motion creating a seamless blend to its simplistic & impressive design.



When not in use, the sleek top cover sits flush with the tabletop surface for a discreet and tidy appearance.

MOTORIZED POP UP UNIT



Features



Wireless Charging:

Wireless-charging top allows you to power Qi-enabled by simply placing it directly on the pad .



Anti-Trap Saety Mechanism:

Senses any obstacle in the path whilst it is lowering, if this occurs the unit reverses direction and raises again.



Anti-Force Mechanism:

Senses any heavy object in the path whilst it is rising, if this occurs the unit stops lifting and retracts to flush position.



IP 54 weatherproof protection :

When in closed position, IP54 seal provides almost complete protection from particles and a good level of protection against water.

MOTORIZED POP UP UNIT


SMT-2 Series




Features

- IP 54
- Wireless chargig: output 5W max
- Approval : CE
- Applications : countertop









Please note: This unit cannot be installed Data and Multimedia modules.









EXPLODED VIEW





^{*}Custom configuration available.












Equipped with dedicated inlets on the bottom cover to accommodate specific configuration such as ethernet jacks, HDMI interface as well as IEC power inlet.



Supplied with 2m pre-wired power cord



Under-desk cable management to keep all the cables grouped together (not included).





Part No.	Surface panel material	Version (Module capacity)	Mounting hole size (mm)
Black tempered glass top cover	/ silver enclosure / silver 304	stainless steel collar rin	g / black finish modules
STP-2BS-1Qi	Tempered glass	2	Ø95
STP-28S-2Qi	Tempered glass	4	Ø95
STP-2BS-3Qi	Tempered glass	6	Ø95
STP-2BS-4Qi	Tempered glass	8	Ø95
STP-2BS-5Qi	Tempered glass	10	Ø95



Features an overload protection switch, to give user extra peace of mind whilst ensuring that the device gets the right amount of power.



Encompasses an ultra-slim collar ring with 1.2mm thickness for a streamlined integration while contributing to the aesthetic beauty of the worktop.



Simply press and pull up the unit in a smooth motion to effortlessly access the outlets.



Product serial number : DA-OEUP021

Category UP Series Socket

2500W 10A MAX

Wireless charging power: 15W

PC +Toughened glass

1.8m / 10A plug / 1.0mm² power cord

Suitable for workstations, supervisor desks, executivedesks,

conference tables, negotiating tables, leisures of as and etc.

Toughened glass white/ Toughened glass gray

Certificate: CE

Product Details

Size (mm)

Φ135*141

Cut-out Size


Ф120








S-STS620,Intergrated Muti-function Desktob




Advantages and Features .:

A finger touch your Iphone /Ipad to enjoy the music from this "box" Can control by Iphone/Ipad through APP for music play.

Muti-functional bluetooth stereo socket, with wireless charger







15W Wireless Charging

Support All Qi-Enabled Devices

Stylish & Discreet Appearence

Customizable Length











Meeting room

Study room

Office

Sliding Lid Desk Socket





Smooth Sliding Lid Operation



Stylish & Discreet Appearence



15W Wireless Charging



Customizable Length




Magnetic Lock






INSTALLATION NOTES



Step 1 : Put The Product into the hole



Step 2 : Open the shutter sliding door and tighten the crews

Product Details

Size (mm)

620*117*155

Cut-out Size

614*11 R56







Product serial number : DA-OEXZ005 Category Rotary Series Socket 2500W MAX,10A MAX,250V~ USB output: 5v/3.1a one-piece structure of full aluminum panel 1.8m*1.0mm2 power cord,10A plug, Suitable for executive table , conference table and high-end desk

Product Details

Size (mm) 400*120*100 Cut-out Size 390*104





Product serial number : DA-OEXH216B Category :Integrated Series Socket

2500W MAX,10A MAX,250V~

USB Output: 5V 3.1A

One-piece structure of full aluminum panel

1.8m*1.0mm2 power cord,10A plug

Suitable for executive table ,conference table and

high-end working desk

Product Details

Size (mm) 354*103*47

Cut-out Size 340*72





Pop Up Table Socket with Wireless Chargee





High quality Pop Up Table Socket with Wireless Chargee

Basic parameter:

Panel size: 266x118mm

Base box size: 222x108x70mm

As a professional high quality Pop Up Table Socket with Wireless Chargee manufacturers, you can rest assured to buy Pop Up Table Socket with Wireless Chargee from DOUBLE-A and we will offer you the best after-sale service and timely delivery.

Basic parameter of Pop Up Table Socket with Wireless Chargee:

Panel size: 266x118mm

Base box size: 222x108x70mm

Products characteristic of Pop Up Table Socket with Wireless Chargee:

- * It's designed for office table, w/wireless charger+power or other modules.
- * Beside 4 modules can use power or data sockets.
- * Pop-up type.

Multi-functional Desktop Socket with Wireless Charge



28




Multi-functional Desktop Socket with Wireless Charge,

Basic parameter of Multi-functional Desktop Socket with Wireless Charge:

Panel size: 200x72mm Hole size: 193x65mm

Products characteristic of Multi-functional Desktop Socket with Wireless Charge:

- * It's design for office table, w/15w wireless charger.
- * Beside space accept 45 modules power sockets, or data, HDMI, USB charger, etc.





Product serial number : DA-OEFG703

CategoryColorful Series


2500W MAX,10A MAX,250V~


USB Output : 18W


A multi-function wire cover which can be customizedf and contracted.


The main material of colorful cover series is ABS, this series of products is affordable, multi-function and can customizable logo.

Suitable for workstations, supervisor desks, executive desks, conference tables, negotiating tables, leisure sofas and etc.









Step1:Put the product into the hole.

Step 2: Open the cover plate and tighten the screws in the two sides.

Step 3: Complete the installation.





Wireless Charging with Chargable LED Color

The cutting-edge wireless inductive technology simplifies charging. Simply place your qi-compatible device on the charger and it will automatically begin charging. It's small and light, easy to put in your pocket, the wireless charging pad makes it easy to carry during travel or business, Perfect office and home use.











Wireless Charging With chargable LED color Details:

- . DC power input:12V=2A
- . Type C:support PD and QC Protocols,220W
- . Output parameters: The total output power of wireless module is 15W
- . Executive standard:Qi standard

Wireless Charging With chargable LED color Feature And Application:

Wireless Charging With chargable LED color suitable for any scenario, as long as you need power, it can be carried with you, and it is possible to have power available at any time and anywhere. It is more convenient than wired charging, so that your desktop is clean and organized.

Deffernet Cover Color for option







AD-DC-05-WB AD-DC-05-BK

30



Embedded Wireless Charging

Embedded Wireless Charging is made of PC material, which is strong, wear-resistant and waterproof. It is mounted from the bottom up. There is no trace on the desktop. Just mark the charging position. Embedded Wireless Charging can quickly charge the phone, and stay away from the complexity of the cable, keeping the desk tidy. Arbitrarily installed at the bottom of the desktop, can be embedded in various desktops such as desks, dining tables, dressing tables, etc.

Embedded Wireless Charging Details:

Input:DC 12V=2A

DC plug output specification: 5. 5x2.1mm Type-C:Support PD and QC Protocols,≥20W

Output: The total output power of wireless module is 15w

Embedded Wireless Charging has a diameter of ϕ 75x30.7mm inch and can be inserted into most standard-size desk holes.

Hole size for the embedded base: φ60mm









'Our standard peckage is without this power adaptor

Embedded Wireless Charging Feature And Application:

Embedded Wireless Charging suitable for modern office environment as well as many other applications including restaurant, bar, cafes, airports, railway stations, office desk, dining table, coffee table, bedside table, etc.

Deffernet Cover Color for option







AD-DC-03-W AD-DC-03-WB

AD-DC-03-BK



Pop them up when you need to charge, tuck them away if when you don't. Mounted under the surface of a table, countertop or any piece of furniture, it can turn almost any piece of furniture into a fast wireless charging station.

It has wireless charging and USB port. Can provide power for multiple devices.



Embedded lifting USB Charger can help you tame clutter, let you use a single charger for almost any phone and even spark joy, assuming you'd rather see a sleek charging pad on your counter, desk or nightstand than a rat's nest of cables. Multi-device chargers can further simplify your setup, giving you a single spot for your phone, smartwatch, wireless headphones or even a second phone. Wireless charging may never be as fast or efficient as wired charging, but it can be a lot more convenient. There are two ways to charge the Embedded lifting USB Charger, which not only charges wirelessly, but also connects to USB for charging.

Embedded lifting USB Charger Details:

- Interface type: USB-Ax1, USB-Cx1, wireless x1
- Input parameters: DC 24V-3A
- Wireless output:5V1A,7.5V-1A,9V.1.12A,9V.1.66A (15W Max)(support QI protocol)
- USB-A output: 5A-3A,9V-=2A,12V-1.67A(18w Max) (support QC3.0)
- USB-c output:5A-3A,9V--2.22A,12V--1.67A(20WMax) (support PD, QC3.0)
- ●USB-A+USB-C output:18W+20W(38W Max)
- ●USB-A+ wireless output: 18W+15W(33W Max)
- •USB-C+ wireless output: 20W+15W[35W Max)
- •USB-A+USB-C+ wireless output: 18W+20W+15W(53W Max)

Pop them up when you need to charger, tuck them away if when you don't





Desktop Pop Up USB Charging Socket.

Pop them up when you need to charge, tuck them away if when you don't. Mounted under the surface of a table, countertop or any piece of furniture.

It is available in a variety of different cover patterns. Contact us for more details of our Desktop Pop Up Usb charging socket!

Product Description

Small and delicate shape is its advantage, it can be perfectly hidden inside your desk when not in use, blend it. It has been designed to comfortably charge your mobile phone while you are working

Desktop Pop Up Usb charging socket Details:

USB:USB-AX2,USB-CX1.

Input parameters :DC 24V=3A.

●USB-A1 Output: 5V-3A、9Vm3A. 12V-2.5A、20Vm1.5A(30W Max) (Support QC3.0)

USB-A2 Output:5V-3A、9V-2A、12Vm1.5A (18W Max) (Support QC3.0)

USB-C Output: 5Vm3A、9Vm3A、12Vm2.5A、20Vm1 5A(30W Max) (Support PD、QC3.0)

- USB- A1+USB-A2 Output:30W+ 18W(48W Max)(QC3.0+QC3.0)
- ●USB-A1+USB-C Output:12W+ 12W(24W Max)(Supported by BC1.2 protocol)

USB-A2+USB-C Output: 18W+30W(48W Max)(QC3.0+PD)

●USB-A1+USB-A2+USB-C Output:12W+18W+ 12W(42W Max)(Supported by

BC1.2+QC3.0+BC1.2 protocol)

+DC plug output specification: 5. 5x2.1mm

Remarks: USB-A1 and USB-C ports will speed down to standard charge while charging both ports at the same time.

33



Home Office Desk Power Track System Electric Socket Outlet



Introduction:

What is a track socket? Are track sockets safe? How to install the track socket? Some of the socket is not suitable to replace more trouble! The rise of the track socket has completed the incomparable function of the old socket: the socket is sensitive dragging, dealing with the problem of too short electrical power cord; The socket is not good or the socket is not good, you can add the adapter at will, without the device; Track and wall or home integration, more show high-end temperament.





Power track socket

Color:	Black/ Silver /Gold/White
Material:	Aluminum Alloy
Application:	Commercial, office/hotel/home/market
Panel Size:	0.6m 0.8m,1.0m 1.2m
Rated Voltage:	110-250V
Rated Current:	10-16A




The sockets on the rails are removable. Often we encounter is the socket design location is not reasonable, resulting in electrical appliances with insufficient wire length is very embarrassing. Had track socket, can adjust the position of socket at will, need not worry about power supply line to grow not enough again.

practical and convenient, more safe. Track socket, can be adapted to a variety of different types of socket, only need to plug the socket into the track, clockwise rotation of 90°, LED light, it means power, can be used. When not in use, turn it counterclockwise and the socket will be cut off and the LED lights will go out.

The Carrying Capacity Is Equivalent to the Traditional Socket . Although the track type socket is small, but its carrying capacity has not been reduced. And the track type socket has a specially prepared USB interface, not because there is no suitable charger head can not charge the electricity, if the charger head slope is different, only need to increase this kind of jack on the mobile track, the problem is easily solved.

4 colors available surface and concealed mounting





Installation method



Concealed installation




Determine the installation location, make the appropriate groove according to the size of the track, and smooth the surface of the groove with cement.



After smooth the groove, mark the hole



Punch holes in each of the two marked positions, Insert the expansion screw protective sleeve into the hole of the wall



Remove the track terminal box lid



Follow the wiring diagram for wiring



Put back the terminal box lid(note:remove the knock hole), arrange the wire into the groove of the track for mounting and securing



Place the track against the wall and screw the track to the wall at the hole position



Install the module to finish the installation. (Here corresponds to the slot)

Open installation



Determine the installation location, mark the hole



Punch holes in each of the two marked positions. Insert the expansion screw protective sleeve into the hole of the wall



Remove the track terminal box lid



Follow the wiring diagram for wiring



Fut back the terminal box lid/note:remove the knock hole), arrange the wire into the groove of the track for mounting and securing.



Place the track against the wall and screw the track to the wall at the hole position






Power track socket



Track Length Size

Installation Socket Qty

4-6 pcs
6-8 pcs
8-10 pcs
10-12 pcs
12-14 pcs
14-16 pcs
16-18 pcs
18-20 pcs



Innovative Removable Power Track

Power track solution designed for aesthetic purposes and convenience. This pack includes power sockets equipped with different plugs and universal power socket that are compatible with various kind of plugs. The power track is 50 cm in length and it comes with 2x power sockets that connects to the track magnetically.



1x Power Track

A seamless 50cm power track equipped with 1 CAT6 ethernet cable port, 1 HDMI port, and a 1.8m UK power cord with GST male port.




1x USB Charger

Power sockets equipped with USB Type A-& C ports for charging wide range of devices.



1x Universal Power Socket

Universal power socket compatible with various kind of plugs. Providing accessible power source module in workstations.



Product Details

Height 2.7Width 50Depth 4.5

Warranty 2 Year Limited Warranty

Cut-out Size 49.1 x 3.4 cm



STS SERIES DESKTOP BOXES

We offer various type of desktop socket providing safe and convenient access to connections such as Power, USB, Data and Multmedia. Instead of running several different cable across your floor, which is a messy trip hazard just waiting to happen you can bring that connectivity directly to your desk, minimizing all that cable clutters



DESKTOP BOXESSTS-4D Series







STS-4D/W

STS-4D/B





STS-4D/BL

STS-4D/Y

Model	Color	Material	Module Capacity	Cutout(mm)
STS-4D/W	White	PC	6	60
STS-4D/B	Black	PC	6	60
STS-4D/BL	Blue	PC	6	60
STS-4D/Y	Yellow	PC	6	60



Features



Wireless Charging: output 15W max Capacitive touch control switch Intelligent device control.




Wireless Charging top allows you to power Qi-enabled devices by simply placing it directly on the pad.



Intergrated Smart Chip allows you to remotely control the plugged-in devices from anywhere via Tuya APP.



Most of the office desks are equipped with a 60mm grommet hole. Therefore, this product eliminates the hassle of an extre opening for mounting




STS-R90 F (4.2A)/(2.1A)

Module capacity : 1 type 45 module +1 dual port USB charger


STS-R90 USA (4.2A)/(2.1A)

Module capacity: 2 US socket module +1 dual port USB charger









DESKTOP BOXES

STS-R90 Series





STS-R90 W / F(4.2A)

STS-R90 B / F(4.2A)





STS-R90 W / USA(4.2A)

STS-R90 B / USA(4.2A)





STS-R90 W / F(2.1A)

STS-R90 B / F(2.1A)





STS-R90 W / USA (2.1A)

STS-R90 B / USA (2.1A)

Model	Color	Material	Socket Output	Output Output	Cutout(mm)
STS-R90 W / F(4.2A)	White	ABS	250V/10A	5V/4.2A	80
STS-R90 B / F(4.2A)	Black	ABS	250V/10A	5V/4.2A	80
STS-R90 W / USA(4.2A)	White	ABS	125V/15A	5V/4.2A	80
STS-R90 B / USA(4.2A)	Black	ABS	125V/15A	5V/4.2A	80
STS-R90 W / F(2.1A)	White	ABS	250V/10A	5V/4.2A	80
STS-R90 B / F(2.1A)	Black	ABS	250V/10A	5V/4.2A	80
STS-R90 W / USA (2.1A)	White	ABS	125V/15A	5V/4.2A	80
STS-R90 B / USA (2.1A)	Black	ABS	125V/15A	5V/4.2A	80

DESKTOP BOXESSTS-C60 Series



Model	Color	Material	Module Capacity	Application
STS-C60 W	White	Aluminum + pc	8	Desktop, Workstation
STS-C60 B	Black	Aluminum + pc	8	Desktop, Workstation

Can be customized as per desired modules requirement






Model	Color	Material	Module Capacity	Application
STS-HG60 W	White	Aluminum + pc	8	Desktop, Workstation
STS-HG60 B	Black	Aluminum + pc	8	Desktop, Workstation

Can be customized as per desired modules requirement

Features




No holes are needed for Installation Module capacity : can be customized



* Dimension for Standred 8 modules unit

Features


No holes are needed for Installation Module capacity : can be customized



* Dimension for Standred 8 modules unit


No holes are needed for Installation Module capacity : can be customized

Approval: IEC test report



* Dimension for Standred 8 modules unit


Module capacity : can be customized
The surface feels soft



* Dimension for Standred 8 modules unit

DESKTOP BOXESSTS-ST60 Series





Can be customized as per desired modules requirement



STS-116 Series







STS-116 B

Model	Color	Material	Capacity	Cutout (mm)
STS-116W	White	Aluminum + po	8	290 × 115
STS-116 B	Black	Aluminum + po	8	290 × 115

Can be customized as per desired modules requirement

DESKTOP BOXESSTS-250 Series





STS-250 W

STS-250 B

Model	Color	Material	Module Capacity	Cutout (mm)
STS-250W	White	Aluminum Alloy	8	250 × 150
STS-250B	Black	Aluminum Alloy	8	250 × 150



STS-212 Series





STS-212 S

STS-212 B

Model	Color	Material	Module Capacity Cut	tout (mm)
STS-212 S	Silver	Aluminum	2 power+3 120 type modules	225 × 112
STS-212B	Black	Aluminum	2 power+3 120 type modules	225 × 112


Features



Cable pass-through brush strip
Open and close at a wide Angle
Application : Desktop




Equipped with black brush strip which preventsdust infiltration and allows plugged-In cables toexit the lid whilst in the closed position.




Features

With soft op up mechanism Steel material base box Application : CE , RoHS




With Soft pop up Mechanism Steel material base box Application : CE, RoHS



Features

With Soft pop up Mechanism Steel material base box Application : CE, RoHS



DESKTOP BOXES STS-200 Series





Model


STS-200 S



STS-200 B

Module **Color Material** Cutout (mm) **Capacity** 2 power+3 120 type modules 225×112 Zinc Alloy Silver STS-200 S

2 power+3 120 type modules 225×112 STS-200 B Black Zinc Alloy



STS-201 Series



Model	Color	Material	Capacity C	utout (mm)
STS-201 S	Silver	Zinc Alloy	2 power+3 120 type modul	les 225 × 112
STS-201 B	Black	Zinc Alloy	2 power+3 120 type modul	es 225 × 112

DESKTOP BOXESSTS-150D Series







STS-150/D2 B







STS-150/D3 B

Model	Color	Material	Module Capacity	Cutout (mm)
STS-150/D2 S	Silver	Aluminum	8	315 × 135
STS-150/D2 B	Black	Aluminum	8	315 × 135
STS-150/D3 S	Silver	Aluminum	12	442 × 135
STS-150/D3 B	Black	Aluminum	12	442 × 135



Features



With Soft close Mechanism


Dual sides flip up type

Flush-mount power source




Can open from both sides.

STS-150D/1 Series




STS-150/D2 Series




With Soft close Mechanism
Flush-mount flip-up box

STS-120/1




STS-120/2




Features

With Soft close Mechanism
Flush-mount flip-up box
Approval: RoHS

STS-220/1



STS-220/2



DESKTOP BOXESSTS-120 Series





STS-120/1 S



STS-120/1 B



STS-120/2 S



STS-120/2 B

Model	Color	Material	Module Capacity	Cutout (mm)
STS-120/1 S	Silver	Aluminum	4	160 × 104
STS-120/1 B	Black	Aluminum	4	160 × 104
STS-120/2 S	Silver	Aluminum	8	284 × 104
STS-120/2 B	Black	Aluminum	8	284 × 104

STS-220 Series



STS-220/1 S



STS-220/1 B







STS-220/2 B

Model	Color	Material	Module Capacity	Cutout (mm)
STS-220/1 S	Silver	Aluminum	4	153 × 92
STS-220/1 B	Black	Aluminum	4	153 × 92
STS-220/2 S	Silver	Aluminum	8	281 × 92
STS-220/2 B	Black	Aluminum	8	281 × 92

DESKTOP BOXESSTS-91H Series





STS-91H/2 B





STS-91H/3 S

STS-91H/3 B

Model	Color	Material	Module Capacity	Application
STS-91H/2 S	Silver	Aluminum+ABS	8	Desktop
STS-91H/2 B	Black	Aluminum+ABS	8	Desktop
STS-91H/3 S	Silver	Aluminum+ABS	12	Desktop
STS-91H/3 B	Black	Aluminum+ABS	12	Desktop

STS-91C Series





STS-91C/2 S







STS-91C/3 S

STS-91C/3 B


	Model	Color	Material	Module Capacity	Application
	STS-91C/2 S	Silver	Aluminum+ABS	8	Desktop
	STS-91C/2 B	Black	Aluminum+ABS	8	Desktop
	STS-91C/3 S	Silver	Aluminum+ABS	12	Desktop
	STS-91C/3 B	Black	Aluminum+ABS	12	Desktop

Features




No hole are needed for installation Length customizable With overload protection switch

STS-91H/2





STS-91H/3







Features

No hole are needed for installation Length customizable With overload protection switch

STS-91C/2



STS-91C/3





STC SERIES USB TABLE CHARGERS

We offer a rang of unique and contemporary USB table chargers with fast charging technology, that can make sur your devices stay fully charged and powered up in shortest possible time.

Suitable for flexible workspace design.








USB TABLE CHARGER

STC-3 Series



Model	Color	Material	Input	Cutout(mm)
STC-3AA/W	White	ABS	100-240VAC	Table
STC-3AA/B	Black	ABS	100-240VAC	Table
STC-3AA/S	Silver	ABS	100-240VAC	Table





Features


Dual port USB type A charge

Applications: Table, soft and cabinet panal

Approval: IEC test report







USB TABLE CHARGER

STC-1 Series

STC-1W/C66



Model	Color	Material	Input	Cutout (mm)
STC-1W/C20	White	PC	100-240VAC	50-60
STC-1B/C20	Black	PC	100-240VAC	50-60
STC-1W/C66	White	PC	100-240VAC	50-60
STC-1B/C66	Black	PC	100-240VAC	50-60

STC-1B/C66





Features


20W & 66W options available Approval: CE, RoHS, FCC

STC-1B/C20, STC-1W/C20

- Type-A single output: QC3.0/QC2.0/FCP/AFC 18W
- Type-C single output: PD 3.0 20W
- Type-A+ type-C both output: 17.5 W

STC-1W/C66, STC-1B/C66

- Type-A max output: QC3.0/QC2.0/FCP/AFC 18W
- Type-C max output: PD 3.0 52W QC3.0/QC2.0 18W
- Type-A+ type-C both output: 64 W



USB TABLE CHARGER STC-2 Series










STC-2B/C24



STC-2B/C66

Model	Color	Material	Input	Application
STC-2W/C24	White	PC	100-240VAC	Table
STC-2B/C24	Black	PC	100-240VAC	Table
STC-2W/C66	White	PC	100-240VAC	Table
STC-2B/C66	Black	PC	100-240VAC	Table





Features


24W & 66W options available Approval: CE, RoHS, FCC

STC-2W/C24, STC-2B/C24

- Type-A single output: QC3.0/QC2.0/FCP/AFC 18W
- Type-C single output: PD 3.0 21W
- Type-A+ type-C both output: 24W(max)

STC-2W/C66, STC-2B/C66

- Type-A max output: QC3.0/QC2.0/FCP/AFC 18W
- Type-C max output: PD 3.0 52W QC3.0/QC2.0 18W
- > Type-A+ type-C both output: 64 W





ADJUSTABLE PHONE STAND

In addition to horizontal charging, it can also be used as a mobile phone stand, providing both vertical and horizontal charging methods.




Multiple charging mode Standing charging height can be adjusted The power of 10 W

Certification: Qi, CE, FCC, RoHS



The charging pad can be locked in place with simple slide action to prevent accidental press of the release button during flat charging orientation.



WIRELESS CHARGING PAD STW-21 Series





ADJUSTABLE PHONE STAND

In addition to horizontal charging, it can also be used as a mobile phone stand, providing both vertical and horizontal charging methods .



WIRELESS CHARGING PAD STW-31 Series





		STW-31
.1.1	Color	

Model	Color	Material	Voltage	Current
STW-31W	White	ABS + Silicone	5V/9V DC	2A(max)
STW-31G	Gray	ABS + Silicone	5V/9V DC	2A(max)

Features

Ambience mood light Night bedside lamp Case Compatibility


Intelligent safety features: FOD, SCP

OTP and OCP

Certification: Qi, CE, FCC, RoHS



Collapsible design: allows for the phone to be positioned and charged at various angles depending on the use.



Cooling vents: Dissipates heat when charging, keeping your device safe.







15W (Max) wireless charging Charging details indicator Ultra slim sturdy design Intelligent safety features : FOD, SCP

OTP and OCP


Certification: Qi, CE, FCC, RoHS



Features silicone anti-slip grip pads underneath the charging pad which keeps the charg secure on any surface for quick, easy charging.



Features a tempered glass surface with high-grade aluminum alloy bottom housing which brings you the better of idustrial design and helps better heat dissipation. At the same time, compact size and ultra-slim round shape of the wireless charger allows you to easily carry along with you.



WIRELESS CHARGING PAD STW-41 Series








Model	Color	Material	Voltage	Current
STW-41	Black	Zinc Alloy_Tempered Glass	5V/9V DC	2A(max)











UNDER DESK SPINAL CABLE DUCT SCD Series



